SCIG Infusion Referral Form



4510 Richmond Road Warrensville Heights, OH 44128

Phone: 800-552-8442 Fax: 216-201-5127

Please complete each section of the referral form below and fax along with a copy (front and back) of <u>all</u> of the patient's pharmacy and medical insurance cards, the patient's demographic face sheet, and any relevant clinical notes/documents.	
Prescriber Information	Prescriber: NPI:
	Phone: Office Contact:
	Address:
Patient Information	Name: DOB: DOB DM DF
	Address:
	Phone: 2 nd Phone: MRN:
	Primary Language: Functional Limitations:
Clinical Information	Primary Diagnosis: ICD-10 Code:
	Secondary Diagnosis: ICD-10 Code:
	Weight:
	Allergies: Latex allergy? \square Yes \square No
	Prior treatments & reason for discontinuation:
	Will this be the patient's first dose? Yes No If no, date of last dose: Product given: Dose: Dose:
	Site of care: Home Care Infusion Center Home Infusion* Home Care to determine site of care *Patient to be trained in the home by skilled nursing then transitioned to self-administration when clinically appropriate. Not available for Hyquvia or Cuvitru. Additional Notes:
Prescription Information	☐ Pharmacist to select IG product based on payer coverage and clinical appropriateness (select IG concentration desired below) ☐ 10% product ☐ 20% product ☐ Specific IG Product required (select desired product below) 10% Products: ☐ Gammagard Liquid ☐ Gammaked ☐ Gamunex-C ☐ Hyquvia^ ☐ Other: 20% Products: ☐ Cuvitru^ ☐ Hizentra ☐ Other: ^Not available for home infusion
	IG Dosing: g/day for day(s) every weeks.
	Quantity (# of doses): Rate of Administration: Custom: Custom:
	PRN Medication(s):
	□Acetaminophen 325mg: 1-2 tablets PO Q4-6 hours prn (Do not exceed 4 doses/24 hours) Quantity: 120 Refills: PRN □Diphenhydramine 25mg: 1-2 tables PO Q4-6 hours prn (Do not exceed 4 doses/24 hours) Quantity: 120 Refills: PRN □Other PRN medication(s):
	Anaphylaxis Kit (to be provided to all home infusion patients): Patient Instructions: Keep on hand at all times during SCIG administration. For allergic reaction, STOP infusion, call 911 immediately, and administer the following medications as instructed by the emergency operator: • Diphenhydramine 25mg: 1-2 tablets PO (#2) • Epinephrine auto-injector IM (#2): 0.3mg for patients > 30kg; 0.15mg for patients < 30kg
Prescriber Signature	My signature for this prescription also confirms that the treatment(s) indicated on this referral is/are medically necessary. I authorize Home Care and its representatives to act as an agent of mine to initiate and execute the patient's insurance prior authorization process and to provide infusion-related nursing services, equipment, and supplies in conjunction with the therapy prescribed above.
	Signature:Date: